


L5 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
GI



AB The reaction of $\text{RN}:\text{C}:\text{NR}$ (I, R = cyclohexyl, Me_2CH , 4- $\text{O}_2\text{NC}_6\text{H}_4$, Bu, Ph) with 2,2'-biphenyldicarboxylic acid dichloride gave 2,2'-bis[(carbamoylamino)carbonyl]biphenyl or dibenzo-1,3-diazonine II (R = cyclohexyl, Me_2CH). The reaction of I with 2,2'-dichloro-1,1'-dinaphthylmethane-3,3'-dicarboxylic acid dichloride gave naphthopyrimidinedione derivs. III (R = cyclohexyl, Me_2CH , Bu, Ph) and minor amts. of naphthoxazine derivs.

AN 1991:81797 CAPLUS

DN 114:81797

TI Reaction of carbodiimides with long-chain dicarboxylic acid chlorides

AU Ried, Walter; Nenninger, Harald

CS Inst. Org. Chem., Univ. Frankfurt/Main, Frankfurt, D-6000/70, Germany

SO Chemiker-Zeitung (1990), 114(9), 287-9

CODEN: CMKZAT; ISSN: 0009-2894

DT Journal

LA German


OS CASREACT 114:81797

IT 131814-62-5P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 131814-62-5 CAPLUS

CN [1,1'-Biphenyl]-2,2'-dicarboxamide, N,N'-dicyclohexyl-N,N'-bis[(cyclohexylamino)carbonyl]- (9CI) (CA INDEX NAME)



=> FIL STNGUIDE
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
26.47	193.62

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-3.75	-3.75


CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 14:55:58 ON 22 AUG 2006
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Aug 18, 2006 (20060818/UP).

=> d abs bib hitstr 5
YOU HAVE REQUESTED DATA FROM FILE 'CAPLUS' - CONTINUE? (Y)/N:y

L5 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
GI



AB The reaction of $RN:C:NR$ (I, R = cyclohexyl, Me_2CH , 4- $O_2NC_6H_4$, Bu, Ph) with 2,2'-biphenyldicarboxylic acid dichloride gave 2,2'-bis[(carbamoylamino)carbonyl]biphenyl or dibenzo-1,3-diazonine II (R = cyclohexyl, Me_2CH). The reaction of I with 2,2'-dichloro-1,1'-dinaphthylmethane-3,3'-dicarboxylic acid dichloride gave naphthopyrimidinedione derivs. III (R = cyclohexyl, Me_2CH , Bu, Ph) and minor amts. of naphthoxazine derivs.

AN 1991:81797 CAPLUS

DN 114:81797

TI Reaction of carbodiimides with long-chain dicarboxylic acid chlorides

AU Ried, Walter; Nenninger, Harald

CS Inst. Org. Chem., Univ. Frankfurt/Main, Frankfurt, D-6000/70, Germany

SO Chemiker-Zeitung (1990), 114(9), 287-9

CODEN: CMKZAT; ISSN: 0009-2894

DT Journal

LA German

OS CASREACT 114:81797

IT 131814-62-5P 131814-64-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 131814-62-5 CAPLUS

CN [1,1'-Biphenyl]-2,2'-dicarboxamide, N,N'-dicyclohexyl-N,N'-bis[(cyclohexylamino)carbonyl]- (9CI) (CA INDEX NAME)